

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

## C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		1/25
Last revised date :	24.03.2020		

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

**Product name:** C2HF5 30,2383 %;CH2F2 69,7617 %

Trade name: R 410A, Freon™ 410A

Other Name: HFC-125 50 % (w/w); HFC-32 50 % (w/w)

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Industrial and professional. Perform risk assessment prior to use.

Refrigerant.

**Uses advised against** Consumer use.

1.3 Details of the supplier of the safety data sheet

Supplier

Linde Gas AB Telephone: +46 8 7069500

Rättarvägen 3 169 68 Solna

E-mail: sds.ren@linde.com

1.4 Emergency telephone number: Poison center: 020-99 60 00 (24 h). Emergency number: 112

## SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended.

**Physical Hazards** 

Gases under pressure Liquefied gas H280: Contains gas under pressure; may explode if

heated.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

## C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		2/25
Last revised date :	24.03.2020		·

#### 2.2 Label Elements



Signal Word: Warning

Hazard Statement(s): H280: Contains gas under pressure; may explode if heated.

**Precautionary Statements** 

General None.

**Prevention:** None.

Response: None.

**Storage:** P403: Store in a well-ventilated place.

Disposal None.

## Supplemental information

EIGA-0783: Contains fluorinated greenhouse gases EIGA-As: Asphyxiant in high concentrations.

Unknown toxicity - Health

Acute toxicity, inhalation, gas 100 %

Unknown toxicity - Environment

Acute hazards to the aquatic

environment

Chronic hazards to the aquatic

environment

0 %

0 %



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

## C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		3/25
Last revised date :	24.03.2020		

#### 2.3 Other hazards

Contact with evaporating liquid may cause frostbite or freezing of skin.

Endocrine disrupting properties-Toxicity

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# Endocrine disrupting properties-Ecotoxicity

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical name	Chemical	Concentration	CAS-No.	EC No.	REACH	M-Factor:	Notes
	formula				Registration No.		
Pentafluoroethane	C2HF5	30,2383%	354-33-6	206-557-8	01- 2119485636- 25	-	#
Difluoromethane	CH2F2	69,7617%	75-10-5	200-839-4	01- 2119471312- 47	-	

The concentrations of the components in the SDS header, product name on page one and in section 3.2 are in mol due to regulatory requirements. All concentrations are nominal.

<sup>#</sup> This substance has workplace exposure limit(s).

<sup>##</sup> This substance is listed as SVHC.PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

# C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		4/25
Last revised date :	24.03.2020		·

## Classification

Chemical name	Classification		Notes
Pentafluoroethane	CLP:	Classification: Press. Gas: Liquef. Gas: H280;  Supplemental label information: EIGA0357, EIGA0783; EIGA0357;  Specific concentration limit: None known.  Acute toxicity, oral: None known.  Acute toxicity, inhalation: LC Lo: > 800000 ppm	
Difluoromethane	CLP:	Acute toxicity, dermal: None known.  Classification: Flam. Gas: 1B: H220; Press. Gas: Liquef.	
		Gas: H280;  Supplemental label information: EIGA0783;  Specific concentration limit: None known.  Acute toxicity, oral: None known.  Acute toxicity, inhalation: LC 0: > 520000 ppm	
		Acute toxicity, dermal: None known.	

CLP: Regulation No. 1272/2008.

The full text for all H-statements is displayed in section 16.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

#### C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		5/25
Last revised date :	24.03.2020		

#### SECTION 4: First aid measures

**General:** In high concentrations may cause asphyxiation. Symptoms may include loss of

mobility/consciousness. Victim may not be aware of asphyxiation. Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped.

4.1 Description of first aid measures

**In high concentrations may cause asphyxiation. Symptoms may include loss of** 

mobility/consciousness. Victim may not be aware of asphyxiation. Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped.

**Eye contact:** Rinse the eye with water immediately. Remove contact lenses, if present and easy

to do. Continue rinsing. Flush thoroughly with water for at least 15 minutes. Get immediate medical assistance. If medical assistance is not immediately available,

flush an additional 15 minutes.

**Skin Contact:** Contact with evaporating liquid may cause frostbite or freezing of skin.

**Ingestion:** Ingestion is not considered a potential route of exposure.

4.2 Most important symptoms and

effects, both acute and

delayed:

Respiratory arrest. Contact with liquefied gas can cause damage (frostbite) due to

rapid evaporative cooling.

4.3 Indication of any immediate medical attention and special treatment needed

Hazards: Respiratory arrest. Contact with liquefied gas can cause damage (frostbite) due to

rapid evaporative cooling.

**Treatment:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate

medical advice/attention.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

### C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		6/25
Last revised date :	24.03.2020		

# SECTION 5: Firefighting measures

General Fire Hazards: Heat may cause the containers to explode.

5.1 Extinguishing media

Suitable extinguishing media: Material will not burn. In case of fire in the surroundings: use appropriate

extinguishing agent.

Unsuitable extinguishing

media:

None.

5.2 Special hazards arising from the

substance or mixture:

Fire or excessive heat may produce hazardous decomposition products.

**Hazardous Combustion Products:** If involved in a fire the following toxic and/or corrosive fumes may be produced

by thermal decomposition: Carbon oxides fluorocarbons Hydrogen fluoride

; Carbonyl difluoride

5.3 Advice for firefighters

Special fire-fighting

procedures:

In case of fire: Stop leak if safe to do so. Continue water spray from protected position until container stays cool. Use extinguishants to contain the fire. Isolate

the source of the fire or let it burn out.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Guideline: EN 469 Protective clothing for firefighters. Performance requirements for protective clothing for firefighting. EN 15090 Footwear for firefighters. EN 659 Protective gloves for firefighters. EN 443 Helmets for fire fighting in buildings and other structures. EN 137 Respiratory protective devices - Self-contained opencircuit compressed air breathing apparatus with full face mask - Requirements,

testing, marking.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

# C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		7/25
Last revised date :	24.03.2020		

## SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Evacuate area. Provide adequate ventilation. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. EN 137 Respiratory protective devices - Self-contained open-circuit compressed air breathing apparatus with full face mask - Requirements,

testing, marking.

6.2 Environmental Precautions:

Prevent further leakage or spillage if safe to do so.

6.3 Methods and material for containment and cleaning up:

Provide adequate ventilation.

6.4 Reference to other sections:

Refer to sections 8 and 13.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

#### C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		8/25
Last revised date :	24.03.2020		

# SECTION 7: Handling and storage:

#### 7.1 Precautions for safe handling:

Only experienced and properly instructed persons should handle gases under pressure. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Refer to supplier's handling instructions. The substance must be handled in accordance with good industrial hygiene and safety procedures. Protect containers from physical damage; do not drag, roll, slide or drop. Do not remove or deface labels provided by the supplier for the identification of the container contents. When moving containers, even for short distances, use appropriate equipment eq. trolley, hand truck, fork truck etc. Secure cylinders in an upright position at all times, close all valves when not in use. Provide adequate ventilation. Suck back of water into the container must be prevented. Do not allow backfeed into the container. Avoid suckback of water, acid and alkalis. Keep container below 50°C in a well ventilated place. Observe all regulations and local requirements regarding storage of containers. When using do not eat, drink or smoke. Store in accordance with local/regional/national/international regulations. Never use direct flame or electrical heating devices to raise the pressure of a container. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. Damaged valves should be reported immediately to the supplier Close container valve after each use and when empty, even if still connected to equipment. Never attempt to repair or modify container valves or safety relief devices. Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment. Keep container valve outlets clean and free from contaminates particularly oil and water. If user experiences any difficulty operating container valve discontinue use and contact supplier. Never attempt to transfer gases from one container to another. Container valve guards or caps should be in place.

7.2 Conditions for safe storage, including any incompatibilities:

Containers should not be stored in conditions likely to encourage corrosion. Stored containers should be periodically checked for general conditions and leakage. Container valve guards or caps should be in place. Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible material.

7.3 Specific end use(s):

None.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

## C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		9/25
Last revised date :	24.03.2020		

# SECTION 8: Exposure controls/personal protection

## 8.1 Control Parameters

Occupational Exposure Limits

Chemical name	Туре	Form of exposure	Exposure Limit Values		Source
Pentafluoroethane	NGV		500 ppm	2.500 mg/m3	Sweden. Occupational Exposure Limit Values, as amended (2015)
	KTV		750 ppm	3.750 mg/m3	Sweden. Occupational Exposure Limit Values, as amended (2015)

Please refer to the latest edition of the appropriate source text and consult an industrial hygienist or similar professional, or local agencies, for further information.

## **Biological Limit Values**

No biological exposure limits noted for the ingredient(s).

#### **DNEL-Values**

Critical component	Туре	Value	Remarks
Pentafluoroethane	Workers - Inhalation,	16444	Repeated dose toxicity
	Systemic, long-term	mg/m3	
	Workers - Inhalation, Systemic, short-term		Low hazard (no threshold derived)
	Workers - Inhalation, Local, long-term, Local, short-term		Low hazard (no threshold derived)
	Workers - Oral, Systemic, long-term, Systemic, short- term		Low hazard (no threshold derived)
	Workers - Oral, Local, long- term, Local, short-term		Low hazard (no threshold derived)
	Workers - Eyes, Local effect		Low hazard (no threshold derived)
Difluoromethane	Workers - Inhalation, Systemic, long-term	7035 mg/m3	Repeated dose toxicity

#### **PNEC-Values**

Caisinal	Tura a	\/_ l	Dana alia
Critical component	llvpe	IVAIIIE	lRemarks
critical component	1,160	10100	Remarks



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

#### C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		10/25
Last revised date :	24.03.2020		

Pentafluoroethane	Aquatic (freshwater)	0,1 mg/l -
Pentafluoroethane	Sediment (freshwater)	0,6 mg/kg -
Difluoromethane	Aquatic (freshwater)	0,313 mg/l -
Difluoromethane	Sediment (freshwater)	1,807 - mg/kg

#### 8.2 Exposure controls

Appropriate engineering controls:

Consider a work permit system e.g. for maintenance activities. Ensure adequate air ventilation. Oxygen detectors should be used when asphyxiating gases may be released. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. Systems under pressure should be regularly checked for leakages. Preferably use permanent leak tight connections (eg. welded pipes). Do not eat, drink or smoke when using the product.

#### Individual protection measures, such as personal protective equipment

**General information:** A risk assessment should be conducted and documented in each work area to

assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered. Keep self contained breathing apparatus readily available for emergency use. Personal protective equipment for the body should be selected based on the task

being performed and the risks involved.

**Eye/face protection:** Safety eyewear, goggles or face-shield to EN166 should be used to avoid

exposure to liquid splashes. Wear eye protection to EN 166 when using gases.

Guideline: EN 166 Personal Eye Protection.

Skin protection

**Hand Protection:** Guideline: EN 388 Protective gloves against mechanical risks.

Additional Information: Wear working gloves while handling containers

**Body protection:** No special precautions.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

#### C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		11/25
Last revised date :	24.03.2020		

**Other:** Wear safety shoes while handling containers

Guideline: ISO 20345 Personal protective equipment - Safety footwear.

**Respiratory Protection:** Not required.

**Thermal hazards:** No precautionary measures are necessary.

**Hygiene measures:** Specific risk management measures are not required beyond good industrial

hygiene and safety procedures. Do not eat, drink or smoke when using the

product.

Environmental exposure

controls:

For waste disposal, see section 13 of the SDS.

#### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance

Physical state: Gas

Form: Liquefied gas
Color: C2HF5: Colorless
CH2F2: Colorless

**Odor:** C2HF5: faint ethereal

CH2F2: Odorless

**Odor Threshold:** Odor threshold is subjective and is inadequate to warn of over

exposure.

Melting Point:No data available.Boiling Point:-60,5 °F/-51,4 °CFlammability:Non-Flammable Gas

Upper/lower limit on flammability or explosive limits

**Explosive limit - upper:** Not applicable

**Explosive limit - lower:** (Calculated value) 23,61 %(V)

**Flash Point:** Not applicable to gases and gas mixtures.

Autoignition Temperature: Not applicable.

Decomposition Temperature: Not known.

pH: Not applicable

SDS\_SE - 000010022602



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

### C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		12/25
Last revised date :	24.03.2020		

Viscosity

**Dynamic viscosity:**No data available. **Kinematic viscosity:**No data available.

Solubility(ies)

Solubility in Water: No data available.
Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not known.

**Dispersion Stability:** No data available.

**Vapor pressure:** 1.657,4 kPa (77 °F/25 °C)

**Relative density:**No data available. **Density:**No data available.

**Relative vapor density:** 2,55 (calculated) 59 °F/15 °C

Particle characteristics: Not applicable

9.2 Other information

Critical Temp. (°C): 72,1 °C

## SECTION 10: Stability and reactivity

**10.1 Reactivity:** No reactivity hazard other than the effects described in sub-section below.

**10.2 Chemical Stability:** Stable under normal conditions.

10.3 Possibility of hazardous

reactions:

None.

10.4 Conditions to avoid: Open flames and high energy ignition sources. The product is not flammable in air

under ambient conditions of temperature and pressure. When pressurised with air or oxygen, the mixture may become flammable. Certain mixtures of HCFCs or HFCs with chlorine may become flammable or reactive under certain conditions.

**10.5 Incompatible Materials:** No reaction with any common materials in dry or wet conditions. Alkali metals.

Alkali earth metals. Chemically-active metals (such as calcium, powdered

aluminum, zinc, and magnesium)



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

#### C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		13/25
Last revised date :	24.03.2020		,

10.6 Hazardous Decomposition

Products:

Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

# SECTION 11: Toxicological information

**General information:** None.

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Oral

**Product** Based on available data, the classification criteria are not met.

Acute toxicity - Dermal

**Product** Based on available data, the classification criteria are not met.

Acute toxicity - Inhalation

**Product** Based on available data, the classification criteria are not met.

Component Information

Pentafluoroethane LC Lo (Sprague-Dawley rat, Female, Male, 4 h): > 800000 ppm (OECD Guideline

403 (Acute Inhalation Toxicity)) Remarks: Experimental result, Key study 1 =

reliable without restrictions

ALC (Sprague-Dawley rat, Male, 4 h): > 709000 ppm Remarks: Experimental

result, Supporting study 1 = reliable without restrictions

Difluoromethane LC 0 (Wistar rat, Female, Male, 4 h): > 520000 ppm (OECD Guideline 403 (Acute

Inhalation Toxicity)) Remarks: Inhalation; vapor Experimental result, Key study

Repeated dose toxicity
Component Information

Pentafluoroethane NOAEL (Rat(Female, Male), Inhalation, 13 Weeks): >= 50.000 ppm(m) Inhalation

Experimental result, Key study

Difluoromethane NOAEL (Wistar-derived rat(Female, Male), Inhalation, 28 d): 49.500 ppm(m)

Inhalation Experimental result, Supporting study

NOAEL (Wistar-derived rat(Female, Male), Inhalation, 13 Weeks): 49.100 ppm(m)

Inhalation Experimental result, Key study



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

### C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		14/25
Last revised date :	24.03.2020		

Skin Corrosion/Irritation

**Product** Based on available data, the classification criteria are not met.

Serious Eye Damage/Eye Irritation

**Product** Based on available data, the classification criteria are not met.

Respiratory or Skin Sensitization

**Product** Based on available data, the classification criteria are not met.

Germ Cell Mutagenicity

**Product** Based on available data, the classification criteria are not met.

In vitro

Component Information

Pentafluoroethane Chromosome aberration (OECD Guideline 473 (In Vitro Mammalian Chromosome

Aberration Test)): Negative.

Ames test in vitro: (OECD Guideline 471 (Bacterial Reverse Mutation Test)):

Negative.

Difluoromethane Ames test in vitro: (OECD Guideline 471 (Bacterial Reverse Mutation Test)):

Negative.

Chromosome aberration (OECD Guideline 473 (In Vitro Mammalian Chromosome

Aberration Test)): Negative.

In vitro gene mutations test on mammalian cells:: Negative.

In vivo

Component Information

Pentafluoroethane Micronucleus test in vivo mouse: (OECD Guideline 474 (Mammalian Erythrocyte

Micronucleus Test)) Inhalation (Mouse): Negative.

Difluoromethane Micronucleus test in vivo mouse: (OECD Guideline 474 (Mammalian Erythrocyte

Micronucleus Test)) (Mouse): Negative.

Carcinogenicity

**Product** Based on available data, the classification criteria are not met.

Reproductive toxicity

**Product** Based on available data, the classification criteria are not met.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

### C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		15/25
Last revised date :	24.03.2020		·

Developmental toxicity (Teratogenicity)

Component Information

Difluoromethane Rabbit (Female) Inhalation (OECD Guideline 414 (Prenatal Developmental

Toxicity Study))

Specific Target Organ Toxicity - Single Exposure

**Product** Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

**Product** Based on available data, the classification criteria are not met.

**Aspiration Hazard** 

**Product** Not applicable to gases and gas mixtures..

11.2 Information on other hazards

Endocrine disrupting properties

**Product:** The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission

Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.;

Components:

Pentafluoroethane The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission

Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.;

Difluoromethane The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission

Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.;

Other information

**Product:** No data available.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

### C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		16/25
Last revised date :	24.03.2020		

## SECTION 12: Ecological information

**General information:** Not applicable

12.1 Toxicity

Acute toxicity

**Product** No ecological damage caused by this product.

Acute toxicity - Fish Component Information

Pentafluoroethane LC 50 (Oncorhynchus mykiss, 96 h): 450 mg/l (semi-static) Remarks: Read-across

from supporting substance (structural analogue or surrogate), Weight of Evidence

study 1 = reliable without restrictions

Difluoromethane LC 50 (Fish (freshwater), 96 h): 1.731 mg/l Remarks: QSAR, Key study 2 = reliable

with restrictions

Acute toxicity - Aquatic Invertebrates

Component Information

Pentafluoroethane EC 50 (Daphnia magna, 48 h): > 200 mg/l (Static) Remarks: Read-across from

supporting substance (structural analogue or surrogate), Weight of Evidence study

2 = reliable with restrictions

Difluoromethane EC 50 (Daphnid, 48 h): 652 mg/l Remarks: QSAR, Key study 2 = reliable with

restrictions

LC 50 (Daphnid, 48 h): 833 mg/l Remarks: QSAR, Key study 2 = reliable with

restrictions

Toxicity to microorganisms Component Information

Difluoromethane Static EC 50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 118 mg/l (OECD

Guideline 201 (Freshwater Alga and Cyanobacteria, Growth Inhibition Test))

EC 50 (Alga, 96 h): 313 mg/l (estimated)

Chronic Toxicity - Fish Component Information

Pentafluoroethane NOEC (30 d): 32 mg/l QSAR



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

## C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		17/25
Last revised date :	24.03.2020		

Difluoromethane NOEC (Danio rerio; Pimephales promelas, 30 d): 169 mg/l QSAR, Supporting study 4

= not assignable

Chronic Toxicity - Aquatic Invertebrates

Component Information

Pentafluoroethane EC 50 (16 d): 12 mg/l

Toxicity to Aquatic Plants
Component Information

Pentafluoroethane EC 50 (Green Algae, 72 h): 142 mg/l

Difluoromethane EC 50 (Alga, 96 h): 142 mg/l

12.2 Persistence and Degradability

**Product** Not applicable to gases and gas mixtures...

Biodegradation

Component Information

Pentafluoroethane 5 % (28 d) Detected in water. Experimental result, Key study

Difluoromethane 5 % (28 d) Detected in water. Experimental result, Key study

12.3 Bioaccumulative potential

**Product** The subject product is expected to biodegrade and is not expected to persist for

long periods in an aquatic environment.

12.4 Mobility in soil

**Product** Because of its high volatility, the product is unlikely to cause ground or water

pollution.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

#### C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		18/25
Last revised date :	24.03.2020		, i

12.5 Results of PBT and vPvB

assessment Product

Not classified as PBT or vPvB.

**Global Warming Potential** 

Global warming potential: 2.087,8

Contains fluorinated greenhouse gases When discharged in large quantities may contribute to the greenhouse effect. For GWP value of mixture and quantities,

refer to container label.

Component Information

Pentafluoroethane EU. F-Gases Subject to Emission Limits/Reporting (Annexes I, II), Regulation

517/2014/EU on FGGs

- Global warming potential: 3500 Annex 1: Fluorinated greenhouse gases referred to in Point 1 of Article 2; Section 1:Hydrofluorocarbons (HFCs) and its mixtures

Difluoromethane EU. F-Gases Subject to Emission Limits/Reporting (Annexes I, II), Regulation

517/2014/EU on FGGs

- Global warming potential: 675 Annex 1: Fluorinated greenhouse gases referred to in Point 1 of Article 2; Section 1:Hydrofluorocarbons (HFCs) and its mixtures

#### 12.6 Endocrine disrupting properties:

**Product:** The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission

Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Components:

Pentafluoroethane The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission

Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Difluoromethane The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission

Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects:



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

### C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		19/25
Last revised date :	24.03.2020		

Other hazards

**Product:** No data available.

Other effects:

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

**General information:** Avoid discharges to atmosphere. Do not discharge into any place where its

accumulation could be dangerous. Refer to manufacturer or supplier for

information on recovery or recycling.

**Disposal methods:** Refer to the EIGA code of practice (Doc.30 "Disposal of Gases", downloadable at

http://www.eiga.org) for more guidance on suitable disposal methods. Dispose of container via supplier only. Discharge, treatment, or disposal may be subject to

national, state, or local laws.

**European Waste Codes** 

**Container:** 14 06 01\*: chlorofluorocarbons, HCFC, HFC

## SECTION 14: Transport information

ADR

14.1 UN number or ID number: UN 3163

14.2 UN Proper Shipping Name: LIQUEFIED GAS, N.O.S. (Difluoromethane, Pentafluoroethane)

14.3 Transport Hazard Class(es)

Class: 2
Label(s): 2.2
Hazard No. (ADR): 20
Tunnel restriction code: (C/E)

14.4 Packing Group: Limited quantity None.
Excepted quantity None.

14.5 Environmental hazards: Not applicable



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

## C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		20/25
Last revised date :	24.03.2020		

14.6 Special precautions for user:

#### RID

14.1 UN number or ID number: UN 3163

14.2 UN Proper Shipping Name LIQUEFIED GAS, N.O.S. (Difluoromethane, Pentafluoroethane)

14.3 Transport Hazard Class(es)

Class: 2
Label(s): 2.2

14.4 Packing Group: -

Limited quantity None. Excepted quantity None.

14.5 Environmental hazards: Not applicable

14.6 Special precautions for user: –

#### **IMDG**

14.1 UN number or ID number: UN 3163

14.2 UN Proper Shipping Name: LIQUEFIED GAS, N.O.S. (Difluoromethane, Pentafluoroethane)

14.3 Transport Hazard Class(es)

 Class:
 2.2

 Label(s):
 2.2

 EmS No.:
 F-C, S-V

14.4 Packing Group:

Limited quantity None. Excepted quantity None.

14.5 Environmental hazards: Not applicable

14.6 Special precautions for user: –



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

#### C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		21/25
Last revised date :	24.03.2020		, i

#### IATA

14.1 UN number or ID number: UN 3163

14.2 Proper Shipping Name: Liquefied gas, n.o.s.(Difluoromethane, Pentafluoroethane)

14.3 Transport Hazard Class(es):

Class: 2.2
Label(s): 2.2

14.4 Packing Group: Limited quantity None.

Excepted quantity None.

14.5 Environmental hazards: Not applicable

14.6 Special precautions for user:

Other information

Passenger and cargo aircraft: Allowed. Cargo aircraft only: Allowed.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Additional identification: Avoid transport on vehicles where the load space is not separated from

the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers ensure that they are firmly secured. Ensure that the container valve is closed and not leaking. Container valve guards or caps should be in place. Ensure

adequate air ventilation.

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

**EU Regulations** 

**EU. REACH Annex XIV, Substances Subject to Authorization as amended:** None present or none present in regulated quantities.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

### C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		22/25
Last revised date :	24.03.2020		·

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended: None present or none present in regulated quantities.

EU. Directive 2012/18/EU (SEVESO III) on major accident hazards involving dangerous substances, Annex I:Not applicable

## **National Regulations**

Council Directive 89/391/EEC on the introduction of measures to encourage improvements in the safety and health of workers at work Directive 2016/425/EEC on personal protective equipment Only products that comply with the food regulations (EC) No. 1333/2008 and (EU) No. 231/2012 and are labelled as such may be used as food additives.

This Safety Data Sheet has been produced to comply with Regulation (EU) 2020/878.

**15.2 Chemical safety assessment:** No Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

**Revision Information:** Not relevant.

Abbreviations and acronyms:

SWO: Sweden. Occupational Exposure Limit Values, as amended

SWO / KTV: Short Term Exposure Limit (STEL): SWO / NGV: Time Weighted Average (TWA):

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-

SDS SE - 000010022602

# Making our world more productive



#### **SAFETY DATA SHEET**

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

### C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		23/25
Last revised date :	24.03.2020		

Number - European Community number; ECx - Concentration associated with x% response; EIGA - European Industrial Gases Association; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response: GHS - Globally Harmonized System: GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population: LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR -(Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

### C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		24/25
Last revised date :	24.03.2020		

Key literature references and sources for data:

Various sources of data have been used in the compilation of this SDS, they include

but are not exclusive to:

Agency for Toxic Substances and Diseases Registry (ATSDR)

(http://www.atsdr.cdc.gov/).

European Chemical Agency: Guidance on the Compilation of Safety Data Sheets.

European Chemical Agency: Information on Registered Substances http://apps.echa.europa.eu/registered/registered-sub.aspx#search

European Industrial Gases Association (EIGA) Doc. 169 "Classification and Labelling

guide", as amended.

International Programme on Chemical Safety (http://www.inchem.org/) ISO 10156:2010 Gases and gas mixtures - Determination of fire potential and

oxidizing ability for the selection of cylinder valve outlets.

Matheson Gas Data Book, 7th Edition.

National Institute for Standards and Technology (NIST) Standard Reference Database

Number 69.

The ESIS (European chemical Substances 5 Information System) platform of the former European Chemicals Bureau (ECB) ESIS (http://ecb.jrc.ec.europa.eu/esis/).

The European Chemical Industry Council (CEFIC) ERICards.

United States of America's National Library of Medicine's toxicology data network

TOXNET (http://toxnet.nlm.nih.gov/index.html)

Threshold Limit Values (TLV) from the American Conference of Governmental

Industrial Hygienists (ACGIH).

Substance specific information from suppliers.

Details given in this document are believed to be correct at the time of publication.

# Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 as amended.	Classification procedure
Gases under pressure, Liquefied gas	On basis of test data

#### Wording of the H-statements in section 2 and 3

_			
	H220	Extremely flammable gas.	
	H280	280 Contains gas under pressure; may explode if heated.	

Training information:

Users of breathing apparatus must be trained. The hazard of asphyxiation is often overlooked and must be stressed during operator training. Ensure operators understand the hazards



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

## C2HF5 30,2383 %;CH2F2 69,7617 %

Issue Date:	12.11.2014	Version: 2.1	SDS No.: 000010022602
Revision Date:	19.04.2024		25/25
Last revised date :	24.03.2020		

Classification according to Regulation (EC) No 1272/2008 as amended.

Press. Gas Liq. Gas, H280

**Other information:** Before using this product in any new process or experiment, a thorough material

compatibility and safety study should be carried out. Ensure adequate air ventilation. Ensure all national/local regulations are observed. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting

from its use can be accepted. ASHRAE: A1

Last revised date: 19.04.2024

**Disclaimer:** This information is provided without warranty. The information is believed to be

correct. This information should be used to make an independent determination of

the methods to safeguard workers and the environment.